

BURDETTE BROTHERS, INC
Phone: 3018318855
1909 URBANA PIKE
CLARKSBURG, MD
Email: donburdette@burdettebrothers.com



2024 Featherlite 9651-211B Horse Trailer

Stock#: 2466T	VIN#: 4FGA11120RC161199	Year: 2024
Manufacturer: Featherlite	Width: 79" or 6'7"	Length: 134" or 11'2"
Weight: 2700	GVWR: 7000	Payload: 4300
#Axles: 2		
URL: https://burdettebrothers.com/2024-featherlite-9651-211b-horse-trailer-jzAp.html		

Price	\$21,450.00
-------	-------------

Description

OVERVIEW

Demand more value from your horse trailer? Then look to Featherlite's Model 9651 bumper pull horse trailer featuring our classic stock combo design! This slant load model features a lower price point and more limited options but gives you great versatility in an easy-to-haul horse trailer that has extra standard features. Featuring extruded aluminum side panels and air spaces, the trailer is 6'7" wide, 7' tall and designed to haul 2 or 3 horses.

HIGHLIGHTS

2 Or 3-Horse Slant Load Configuration

6'7" Wide With Inside Height Of 7'0"

Full Swing Rear Gate

FEATURES

Model: 9651

Hitch Type: Bumper pull

Load Type: Slant

Trailer Width: 6' 7"

Trailer Length: 2H = 11'2"; 3H = 14'8"

Inside Height: 7' 0"

Horse Stalls: 2 or 3-horse

Stall Width: 40 3/4"

Dressing Room Size: 0" short wall

Exterior Sides: White .040 aluminum side sheets and extruded aluminum side panels with 2 top air spaces

Rear Doors: Full swing rear gate with single cam lock, lockable hasp & air gaps

Escape Doors: NA

Windows: Two air gaps with Plexiglas track on curbside & streetside

Tack Area: Tack area in dressing room

Living Quarters: None available

Stall Dividers: Padded slant stall dividers with shoulder separator and slam latch

Saddle Rack: One solid mounted saddle rack for each horse

Walls: Extruded aluminum side panels

Doors: 32" x 74" camper door with window & deadbolt

Floor/Floor Mats: Interlocking smooth extruded aluminum floor; 3/4" rubber mats in horse area: Roof Vents

One pop-up roof vent per horse: Dome Lights

One LED dome light per divider in horse area; 1 LED dome light in dressing room

Dressing Room: Turf on dressing room floor; Brush tray, clothes rod, 6 halter hooks & blanket bar

Tie Rings: Two outside tie rings per horse; 2 inside tie rings per horse

Axles: Two 3500# rubber torsion axles with electric brakes

Tire/Rim: 15" 6-hole silver aluminum wheels with Goodyear ST225/75R15 Load Range D tires (Qty: 4)

Exterior Lights: 2 wraparound LED stop/turn lights; LED load light at rear of trailer; LED clearance lights: Butt/Chest Bars

Nylon strap at rear for full width of door opening

Gravel Guard: Standard (16" tall)

Coupler: 2 5/16" 21K drag coupler; Crank type jack with wheel

Other: Spare tire carrier; Rubber dock bumper; Full length running boards

Weight: 2H = 2700#; 3H = 3200#

Warranty: 10-year limited structural warranty; 1-year hitch-to-bumper warranty. Transferable warranty** available on qualified trailers. See warranty page or dealer for more info.

null